

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	client and server and (randomiz\$5 near5 key) and ((serial near number) or (client near id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:14
L2	9	l1 and (client near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:11
L3	0	client and server and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:14
L4	0	sender and receiver and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:14
L5	6	sender and receiver and (randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:18
L6	39	(randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:18
L7	33	l6 not l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:34
L8	1009	seed and (random near number) and (random near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:35
L9	337	l8 and (protect\$5 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 10:36
L10	264	l9 and (client or receiver) and (sender or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:09

L11	10598	video near5 demand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:10
L12	37	l11 and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:24
L13	1061	(set near3 box) and random and (video near3 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:38
L14	4	l13 and (transmit\$4 near5 (key and (encrypted near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:30
L15	1	"5745571".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:28
L16	1	"5742756".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:28
L17	1	"5721781".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:29
L18	0	l13 and (transmit\$4 near5 (key and (randomiz\$4 near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:30
L19	0	l13 and (send\$4 near5 (key and (randomiz\$4 near3 content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:30
L20	0	l13 and (send\$4 near5 (key and (randomiz\$4 near3 message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:30
L21	0	l13 and (send\$4 near5 (key and (randomiz\$4 near3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:30
L22	579	380/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:31

L23	43	I22 and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:31
L24	1	"5742686".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:59
L25	1	"5452358".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:59
L26	1	"5365589".PN.	USPAT; USOCR	OR	ON	2005/03/22 11:59
L27	1	"5699427".PN.	USPAT; USOCR	OR	ON	2005/03/22 12:05
L28	115	I13 and (encrypted near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:40
L29	0	I28 and (client near5 seed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:40
L30	0	I28 and (client same seed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:41
L31	29	I28 and seed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:51
L32	4	I13 and ((client near3 specific) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:53
L33	23	I13 and (client near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 12:53
L34	20	I33 not I32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:02

L35	66	(conditional near5 access) and (random\$6 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:02
L36	24	I35 and (video near5 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:49
L37	535	((client near id) or (serial near number) or cw) and (video near5 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:50
L38	128	I37 and (generat\$4 near10 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:51
L39	30	I38 and ((set near top) near10 (key or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:24
L40	2	"6005943".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:16
L41	26	I39 and (conditional near3 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:24
L42	26	I41 and (video near2 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:28
L43	0	I42 and (client near5 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:28
L44	0	I42 and (subscriber near8 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:29

L45	136	(subscriber near8 (private near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:29
L46	6	I45 and (set near top) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:06
L47	121	(client near5 (id or key)) and (set near top) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 15:07
L48	64	I47 and (client near5 specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:23
L49	84633	memory near address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:23
L50	63	I49 and (address near10 (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:24
L51	6	I50 and (conditional near access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:28
L52	7	I50 and (set near top)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:28
L53	1	I52 not I51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 16:28